

Claims

- [c1] 1. A method suitable for an electronic system for restoring a backup data, comprising:
providing a backup data file comprising at least an application data; and
searching an application program corresponding to the application data within a registry of the electronic system,
if it is found that there is an application program corresponding to the application data, the application data is restored;
if it is found that there is no application program corresponding to the application data, the application data is not restored.
- [c2] 2. The method for restoring the backup data of claim 1, wherein the backup data file further comprises a Personal Information Manager (PIM) data, and the method for restoring the backup data further comprises:
reading and restoring the Personal Information Manager (PIM) data to the electronic system.
- [c3] 3. The method for restoring the backup data of claim 2, wherein the backup data file further comprises an origi-

nal model data, and the method for restoring the backup data further comprises:

reading an current model data of the electronic system;
and

comparing the current model data with the original model data, and if they are matched, all backup data in the backup data file are restored.

[c4] 4. The method for restoring the backup data of claim 1, wherein the electronic system is a mobile device.

[c5] 5. The method for restoring the backup data of claim 4, wherein the mobile device is a Personal Digital Assistant (PDA).

[c6] 6. The method for restoring the backup data of claim 5, wherein the PDA is a Pocket PC.

[c7] 7. The method for restoring the backup data of claim 4, wherein the mobile device is a Smart Phone.

[c8] 8. A method used in a mobile device for restoring a backup data, comprising:
providing a backup data file comprising a self-restore program; and
executing the self-restore program and performing the data restore in the mobile device.

- [c9] 9. The method for restoring the backup data of claim 8, wherein the step of executing the self-restore program and performing the data restore comprises:
determining whether the backup data is existed in the backup data file, and if there is no backup data, the executing of the self-restore program is terminated.
- [c10] 10. The method for restoring the backup data of claim 9, wherein the backup data file further comprises an original model data, and the step of executing the self-restore program and performing the data restore further comprises:
reading an current model data of the mobile device; and
comparing the current model data with the original model data, and if they are matched, all backup data in the backup data file are restored.
- [c11] 11. The method for restoring the backup data of claim 10, wherein the backup data file further comprises a Personal Information Manager (PIM) data, and the step of executing the self-restore program and performing the data restore further comprises:
reading and restoring the Personal Information Manager (PIM) data to the mobile device.
- [c12] 12. The method for restoring the backup data of claim 11, wherein the backup data file at least comprises an

application data, and the step of executing the self-restore program and performing the data restore further comprises:

searching an application program corresponding to the application data within a registry of the mobile device, if it is found that there is an application program corresponding to the application data, the application data is restored; and

if it is found that there is no application program corresponding to the application data, the application data is not restored.

[c13] 13. The method for restoring the backup data of claim 8, wherein the mobile device is a Personal Digital Assistant (PDA).

[c14] 14. The method for restoring the backup data of claim 13, wherein the PDA is a Pocket PC.

[c15] 15. The method for restoring the backup data of claim 8, wherein the mobile device is a Smart Phone.